



CORN SEED

179-12VT2PRIB

Brand Blend

Selected Trait: **VT Double PRO® RIB Complete® corn blend**



VT2PRIB



Maturity **79**

Strengths


- Very good yield potential with very fast drydown
- Widely adapted west to east in the 80 RM zone
- Very good seedling vigor and emergence that allow for early planting
- Performs best with high nitrogen levels; can be placed under low to moderate levels

Product Details

Maturity (Gdus To Black Layer + 2 More) ^

1975	1072	79
Gdus To Black Layer	Gdus To Mid-Pollination	Relative Maturity

Agronomics (Drought Tolerance + 7 More) ^





SF Ear Flex (Grain Yield Per Plant)	ML Ear Height	MS Plant Height
---	-------------------------	---------------------------

Disease (Anthracnose Stalk Rot + 4 More) ^



Adaptation Focus Area ^

W,C,E

Focus Area

Herbicides (Growth Regulators Sensitivity + 2 More) ^

A Growth Regulators Sensitivity	A Pigment Inhibitors Sensitivity	A Sulfonylureas Sensitivity
---	--	---------------------------------------

Other (Kernel Row + 3 More) ^

16
Kernel Row

2
Emergence
Excellent

VT2PRIB
Trait

01079469
Variety

Product Details Key: ^

For RIB products, all product details listed above are for the major component of the blended product.

Local Rating Scale

- ★ Highly Recommended
- 🛡️ Recommended with Management
- 🚩 Use with Management
- 🚫 Not Recommended

National Rating Scale

1 = Excellent, 9 = Poor, NR = Not Recommended, - = data is insufficient at this time.

Herbicide Sensitivity

A = Acceptable, C = Caution, W = Warning. Environmental conditions may cause herbicide interactions different than indicated for a particular growing season.

Herbicide Tolerance

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

GDU (Growing Degree Unit)

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.