



CORN SEED

183-33VT2PRIB

Brand Blend

Selected Trait: **VT Double PRO® RIB Complete® corn blend**



VT2PRIB

Maturity **83**

Strengths

- Broadly adapted product with solid Goss's wilt and greensnap tolerance to enable western movement.
- Has shown excellent early establishment with very good emergence and seedling vigor.
- Medium statured plant with long, girthy ears and excellent test weight.
- Has shown excellent northern corn leaf blight tolerance.

Product Details

Maturity (Gdus To Black Layer + 2 More) ^

2065

Gdus To Black Layer


1155


Gdus To Mid-Pollination

83

Relative Maturity


Agronomics (Drought Tolerance + 7 More) ^





SD	M	M
Ear Flex (Grain Yield Per Plant)	Ear Height	Plant Height

Disease (Anthracnose Stalk Rot + 3 More) ^



Adaptation Focus Area ^

C,E,W
Focus Area

Herbicides (Growth Regulators Sensitivity + 2 More) ^

A	A	A
Growth Regulators Sensitivity	Pigment Inhibitors Sensitivity	Sulfonylureas Sensitivity

Other (Kernel Row + 3 More) ^

14-16	2	VT2PRIB
Kernel Row	Emergence Excellent	Trait
Undefined		
Variety		

Product Details Key: ^

For RIB products, all product details listed above are for the major component of the blended product.

Local Rating Scale

- ★ Highly Recommended
- 🚩 Use with Management
- ⚙️ New Product
- 🛡️ Recommended with Management
- 🚫 Not Recommended

National Rating Scale

1 = Excellent, 9 = Poor, NR = Not Recommended, - = data is insufficient at this time.

Herbicide Sensitivity

A = Acceptable, C = Caution, W = Warning. Environmental conditions may cause herbicide interactions different than indicated for a particular growing season.

Herbicide Tolerance

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

GDU (Growing Degree Unit)

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.