



CORN SEED

# 186-26VT2PRIB

Brand Blend

Selected Trait: **VT Double PRO® RIB Complete®** corn blend



VT2PRIB



Maturity **86**

## Strengths


- Has shown stable yield performance
- Well adapted west to east in the 85-90 RM zones
- Excellent Goss's wilt and northern corn leaf blight tolerance
- Semi-determinant ear type; consider medium to medium-high planting populations. Avoid delayed harvest under anthracnose stalk rot pressure


## Product Details

**Maturity** (Gdus To Black Layer + 2 More) ^

2145	1115	86
Gdus To Black Layer	Gdus To Mid-Pollination	Relative Maturity


**Agronomics** (Drought Tolerance + 7 More) ^





<b>SD</b>	<b>M</b>	<b>M</b>
Ear Flex (Grain Yield Per Plant)	Ear Height	Plant Height

**Disease** (Anthracnose Stalk Rot + 3 More) ^



**Adaptation** Focus Area ^

**W,C,E**  
Focus Area

**Herbicides** (Growth Regulators Sensitivity + 2 More) ^

<b>A</b>	<b>A</b>	<b>A</b>
Growth Regulators Sensitivity	Pigment Inhibitors Sensitivity	Sulfonylureas Sensitivity

**Other** (Emergence + 2 More) ^

<b>3</b>	<b>VT2PRIB</b>	<b>01085668</b>
Emergence	Trait	Variety

**Product Details Key:** ^

For RIB products, all product details listed above are for the major component of the blended product.

**Local Rating Scale**

- Highly Recommended
- Recommended with Management
- Use with Management
- Not Recommended
- New Product

**National Rating Scale**

1 = Excellent, 9 = Poor, NR = Not Recommended, - = data is insufficient at this time.

**Herbicide Sensitivity**

A = Acceptable, C = Caution, W = Warning. Environmental conditions may cause herbicide interactions different than indicated for a particular growing season.

**Herbicide Tolerance**

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

**GDU (Growing Degree Unit)**

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.