



CORN SEED

186-56VT2PRIB

Brand Blend

Selected Trait: **VT Double PRO® RIB Complete®** corn blend



VT2PRIB

Maturity **86**

Strengths

- Excellent yield potential, good test weight, and very favorable agronomics for 85-day markets.
- Has exhibited broad adaptability East to West and impressive yield stability across years.
- Good Greensnap and Goss's Wilt tolerance.
- Great stress tolerance.
- Excellent emergence and seedling vigor.

Product Details

Maturity (Gdus To Black Layer + 2 More) ^

2151

Gdus To Black Layer


1189


Gdus To Mid-Pollination

86

Relative Maturity


Agronomics (Drought Tolerance + 7 More) ^





SD Ear Flex (Grain Yield Per Plant) **M** Ear Height **M** Plant Height

Disease (Anthracnose Stalk Rot + 4 More)



Adaptation Focus Area

W,C,E

Focus Area

Herbicides (Growth Regulators Sensitivity + 2 More)

A Growth Regulators Sensitivity **A** Pigment Inhibitors Sensitivity **A** Sulfonylureas Sensitivity

Other (Kernel Row + 3 More)

16-18
Kernel Row

2
Emergence
Excellent

VT2PRIB
Trait

Undefined
Variety

Product Details Key:

For RIB products, all product details listed above are for the major component of the blended product.

Local Rating Scale

- ★ Highly Recommended
- 🛡️ Recommended with Management
- 🚩 Use with Management
- 🚫 Not Recommended

National Rating Scale

1 = Excellent, 9 = Poor, NR = Not Recommended, - = data is insufficient at this time.

Herbicide Sensitivity

A = Acceptable, C = Caution, W = Warning. Environmental conditions may cause herbicide interactions different than indicated for a particular growing season.

Herbicide Tolerance

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.

GDU (Growing Degree Unit)

Ratings are based on observations and research using herbicides at labeled and above labeled rates to simulate extreme environmental conditions, misapplication and adverse soil pH or organic content.